


Contact us today for details of our
huge range of access solutions

0845 467 0000



Tracked Boom Lifts




Tracked booms from 14m to 50m • Ideal for accessing challenging areas & terrain
Full familiarisation on handover • Same day delivery available

www.jms-access.co.uk • hire@jms-access.co.uk

Hinowa GL14.7




- ▶ Max. working height **14.0m**
- ▶ Max. platform height **12.0m**
- ▶ Max. outreach **7.0m**
- ▶ Closed machine width **0.78-1.08m**
- ▶ Transport length **4.06m**
- ▶ Transport height **2.0m**
- ▶ Max platform capacity **200kg**
- ▶ Gross machine weight **1700kg**
- ▶ Max slope in travel mode **17.5°/31.5%**
- ▶ Tyres **tracked**



Hinowa GL17.8



- ▶ Max. working height **16.9m**
- ▶ Max. platform height **14.9m**
- ▶ Max. outreach **8.02m**
- ▶ Closed machine width **0.78-1.08m**
- ▶ Transport length **4.52m**
- ▶ Transport height **1.98m**
- ▶ Max platform capacity **200kg**
- ▶ Gross machine weight **2080kg**
- ▶ Max slope in travel mode **20°/36.4%**
- ▶ Tyres **tracked**




Also available: LL17.75

Hinowa LL20.10




- ▶ Max. working height **20.0m**
- ▶ Max. platform height **18.0m**
- ▶ Max. outreach **9.70m**
- ▶ Closed machine width **0.79m-1.09m**
- ▶ Transport length **4.50m**
- ▶ Transport height **2.0m**
- ▶ Max platform capacity **230kg**
- ▶ Gross machine weight **2800kg**
- ▶ Max slope in travel mode **20%**
- ▶ Tyres **tracked**



Teupen Leo21GT



- ▶ Max. working height **21.0m**
- ▶ Max. platform height **19.0m**
- ▶ Max. outreach **12.0m**
- ▶ Min overall width **0.98m**
- ▶ Overall length **6.40m**
- ▶ Travelling position height **1.99m**
- ▶ Platform capacity **250kg**
- ▶ Gross machine weight **2980kg**
- ▶ Max gradeability **16.7°/30%**
- ▶ Tyres **non-marking tracked**





Lithium-ion Power

JMS has a selection of Lithium-ion machines which provides a number of benefits for the operator

- Quiet operation, ideal for internal applications such as hospitals or retail areas
- Emission free, no fumes during operation
- Battery power to platform eliminates the need of long extension cables to the platform
- Powerful battery provides long work cycles
- Fast recharge time in-between shifts

0845 467 0000


www.jms-access.co.uk • hire@jms-access.co.uk

Contact us today for details of our huge range of access solutions

Bluelift C22-11



▶ Max. working height	22.0m
▶ Max. platform height	20.0m
▶ Max. outreach	11.0m
▶ Closed machine width	0.93-1.20m
▶ Stowed length	5.25m
▶ Stowed height	2.13m
▶ Platform capacity	200kg
▶ Gross machine weight	3000kg
▶ Max gradeability	20°/37%
▶ Tyres	non-marking tracks



Teupen Leo24GT Lithium-ion




▶ Max. working height	24.0m
▶ Max. platform height	22.0m
▶ Max. outreach	12.0m
▶ Min overall width	0.98m
▶ Overall length	6.40m
▶ Travelling position height	1.99m

Teupen Leo24GT Diesel



▶ Platform capacity	250kg
▶ Gross machine weight	3300kg
▶ Diesel	3300kg
▶ Lithium-ion battery	3360kg
▶ Max gradeability	16.7°/30%
▶ Tyres	non-marking tracks

Mains power option on both models




Hinowa LL26.14



▶ Max. working height	25.70m
▶ Max. platform height	23.70m
▶ Max. outreach	13.60m
▶ Min overall width	0.99m-1.49m
▶ Overall length	6.35m
▶ Travelling position height	1.98m
▶ Platform capacity	230kg
▶ Gross machine weight	4365kg
▶ Max gradeability	16°/28.7%
▶ Tyres	non-marking tracked

Lithium-ion option available




0845 467 0000 • www.jms-access.co.uk

Teupen Leo30T




- ▶ Max. working height **30.0m**
- ▶ Max. platform height **28.0m**
- ▶ Max. outreach **15.70m**
- ▶ Min overall width **1.58m**
- ▶ Overall length **7.20m**
- ▶ Travelling position height **1.98m**
- ▶ Platform capacity **200kg**
- ▶ Gross machine weight **4300kg**
- ▶ Max gradeability **16.7°/30%**
- ▶ Tyres **non-marking tracked**



Teupen Leo36T




- ▶ Max. working height **35.50m**
- ▶ Max. platform height **33.50m**
- ▶ Max. outreach **15.60m**
- ▶ Min overall width **1.58m**
- ▶ Overall length **8.18m**
- ▶ Travelling position height **1.98m**
- ▶ Platform capacity **200kg**
- ▶ Gross machine weight **4900kg**
- ▶ Max gradeability **16.7°/30%**
- ▶ Tyres **non-marking tracked**



Teupen Leo50GT



- ▶ Max. working height **50.0m**
- ▶ Max. platform height **48.0m**
- ▶ Max. outreach **17.10m**
- ▶ Min overall width **1.58m**
- ▶ Overall length **8.45m**
- ▶ Travelling position height **1.98m**
- ▶ Platform capacity **200kg**
- ▶ Gross machine weight **13500kg**
- ▶ Max gradeability **16.7°/30%**
- ▶ Tyres **tracked**



The Hire Service

The South • 32 Coldharbour Lane, Harpenden, Herts. AL5 4UN
The North • Parkside, Parkside Lane, Leeds. LS11 5TD
Pinewood Studios • Room 1, Double Lodge, Pinewood Road, Iwer Heath, Bucks. SLO ONH

National coverage
 call the team today on
0845 467 0000

www.jms-access.co.uk • hire@jms-access.co.uk

